


NEW FORMULATION IDEAL FOR DELIVERY OF MILK AND BY-PRODUCTS

NUOVA FORMULAZIONE ADATTA AL TRASPORTO DI LATTE E DERIVATI

Code	Ins. β	Out β	Weight	WP	BP	Bending	Coil lgth.	Vol.
β Int.	β Est.	mm	g/m	bar	bar	mm	m	m ²
β Int.	β Est.	Peso	P.E.	P.S.	R. Curvatura	Lg. Rotolo	Vol.	
B1 01 006.0 012.0	6	12	105	21	63	30	100	0.025
B1 01 008.0 014.0	8	14	125	23	69	40	100	0.032
B1 01 010.0 016.0	10	16	150	16	48	50	100	0.041
B1 01 012.0 018.0	12	18	175	12	36	60	100	0.050
B1 01 013.0 019.0	13	19	185	11	33	70	100	0.058
B1 01 016.0 022.0	16	22	220	10	30	80	50	0.041
B1 01 019.0 026.0	19	26	300	9	27	100	50	0.075
B1 01 025.0 033.0	25	33	445	8	24	130	50	0.107
B1 010300038000	30	38	525	6	18	150	50	0.135
B1 010320042000	32	42	710	5	15	160	50	0.146
B1 010380048000	38	48	825	4	12	190	50	0.271
B1 010400050000	40	50	865	4	12	200	50	0.303
B1 01500062000	50*	62	1290	4	12	250	50	0.391

Scheda tecnica / Technical data



Transparent hose produced with a special bio-based compound, obtained from natural energy sources, which production allows to save CO₂ emissions and a high tenacity polyester reinforcement. Resistant to several chemicals and to weather conditions. • Ideal solution for delivery of food liquids, beverages, fruit juices, wine and liquors with up to 50% alcohol concentration as well as for the passage of milk and dairy products, according to FDA CFR, 21 (item 176.170) and to Reg. EU 10/2011 (classes A, B, C, D1). It is often used for filling machines and dispensers.

Tubo in speciale Bio-compound ottenuto da fonti naturali rinnovabili, la cui produzione permette una riduzione delle emissioni di CO₂ nell'atmosfera; rinforzo di filato di poliestere ad alta tenacità. • Trasporto di liquidi alimentari, bevande, succhi di frutta, aceto, vino e liquori con concentrazione alcolica fino a 50%. Idoneo al passaggio di liquidi lattiero-caseari secondo FDA CFR 21 (item 176.170) e secondo il regolamento Europeo Reg. UE 10/2011 (classi A, B, C, D1).

